

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/9/2017 Revision date: 1/8/2024 Supersedes: 3/20/2017 Version: 2.1

SECTION 1: Identification

1.1. Identification

Product form : Mixture Trade name **Encap Rinse** Product code 1373

1.2. Recommended use and restrictions on use

Recommended use : Detergent, Carpet cleaning (liquids)

1.3. Supplier

Synthetic Labs 24 Victory Lane Dracut, MA, 01826 **United States** T 800.255.4050 - F 978.957.5122 www.syntecpro.com

1.4. Emergency telephone number

Emergency number : Infotrac 24 Hour Medical Emergency Number: 1-800-535-5053

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1 Causes severe skin burns and eye damage

Causes serious eye damage

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US) Danger

Hazard statements (GHS US) Causes severe skin burns and eye damage

Causes serious eye damage

Precautionary statements (GHS US) : Do not breathe mist, spray, vapors.

Wash hands, forearms and face thoroughly after handling.

Wear eye protection, protective gloves.

If swallowed: rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Immediately call a poison center or doctor.

Specific treatment (see supplemental first aid instruction on this label).

Wash contaminated clothing before reuse.

Store locked up.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

No additional information available

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|---|---------------------|-------|---|
| Tetrasodium ethylenediaminetetraacetate | CAS-No.: 64-02-8 | 1 – 5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Disodium Metasilicate | CAS-No.: 6834-92-0 | 1 – 5 | Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Corr. 1B, H314 STOT SE 3, H335 |
| Alcohols, Ehoxylated | CAS-No.: 68439-46-3 | 1 – 5 | Acute Tox. 4 (Oral), H302 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

1/8/2024 (Revision date) EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer

to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

1/8/2024 (Revision date) EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Encap Rinse

No additional information available

Tetrasodium ethylenediaminetetraacetate (64-02-8)

No additional information available

Disodium Metasilicate (6834-92-0)

No additional information available

Alcohols, Ehoxylated (68439-46-3)

USA - ACGIH - Occupational Exposure Limits

| ACGIH OEL TWA [ppm] | 1 ppm |
|---------------------|-------|
|---------------------|-------|

USA - OSHA - Occupational Exposure Limits

| OSHA PEL (TWA) [2] | 1 ppm |
|---------------------|-------|
| OSHA PEL (STEL) [2] | 5 ppm |

USA - NIOSH - Occupational Exposure Limits

| NIOSH REL TWA [ppm] | 5 ppm |
|---------------------|---------|
| NIOSH REL (Ceiling) | 9 mg/m³ |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid. Color : clear

1/8/2024 (Revision date) EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor : Fresh

Odor threshold : No data available

pН : 12 pH solution : 11.5 – 12 Melting point : Not applicable Freezing point : No data available No data available Boiling point No data available Flash point Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Not applicable. : No data available Vapor pressure Relative vapor density at 20°C : No data available : No data available Relative density Density : 1.03 g/m³ Molecular mass : 1.03 g/mol Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available Decomposition temperature No data available Viscosity, kinematic No data available Viscosity, dynamic No data available

9.2. Other information

Explosion limits

Explosive properties
Oxidizing properties

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

No data availableNo data available

: No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

1/8/2024 (Revision date) EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

: Not classified Acute toxicity (dermal) : Not classified Acute toxicity (inhalation) **Tetrasodium ethylenediaminetetraacetate (64-02-8)** LD50 oral rat 1780 – 2000 mg/kg (Rat, Male / female, Experimental value, Oral) ATE US (oral) 1780 mg/kg body weight **Disodium Metasilicate (6834-92-0)** LD50 oral rat 1152 – 1349 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 7 day(s)) > 5000 mg/kg body weight (EPA OPPTS 870.1200: Acute Dermal Toxicity, 24 h, Rat, Male / LD50 dermal rat female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat > 2.06 mg/l (EPA OPPTS 870.1300: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s)) ATE US (oral) 1152 mg/kg body weight ATE US (dust, mist) 1.5 ma/l/4h Alcohols, Ehoxylated (68439-46-3) LD50 oral rat 1378 mg/kg (Rat, Oral) LD50 dermal rabbit > 2000 mg/kg (Rabbit, Dermal) ATE US (oral) 1378 mg/kg body weight Skin corrosion/irritation Causes severe skin burns. pH: 12 Tetrasodium ethylenediaminetetraacetate (64-02-8) 11 (1 %) **Disodium Metasilicate (6834-92-0)** No data available in the literature рΗ Serious eye damage/irritation : Causes serious eye damage. pH: 12 Tetrasodium ethylenediaminetetraacetate (64-02-8) рΗ 11 (1 %)

| Disodium Metasilicate (6834-92-0) | |
|-------------------------------------|-------------------------------------|
| pH | No data available in the literature |
| Respiratory or skin sensitization : | Not classified |
| Germ cell mutagenicity : | Not classified |
| Carcinogenicity : | Not classified |
| Reproductive toxicity : | Not classified |
| STOT-single exposure : | Not classified |
| Disodium Metasilicate (6834-92-0) | |
| STOT-single exposure | May cause respiratory irritation. |

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified
Viscosity, kinematic : No data available

| Tetrasodium ethylenediaminetetraacetate (64-02-8) | | |
|---|----------------------|------------------------|
| | Viscosity, kinematic | Not applicable (solid) |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Disodium Metasilicate (| (6834-92-0) |
|--------------------------------|-------------|
|--------------------------------|-------------|

Viscosity, kinematic Not applicable (solid)

Symptoms/effects after skin contact : Burns.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

| Tetrasodium ethylenediaminetetraacetate (64-02-8) | | |
|---|--|--|
| LC50 - Fish [1] | 121 mg/l (US EPA, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Soft water) | |
| EC50 - Crustacea [1] | 625 mg/l (DIN 38412-11, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect) | |
| ErC50 algae | > 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Weight of evidence, Nominal concentration) | |
| Disodium Metasilicate (6834-92-0) | | |
| LC50 - Fish [1] | 210 mg/l (ISO 7346-1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value) | |
| EC50 - Crustacea [1] | 1700 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) | |

12.2. Persistence and degradability

| Tetrasodium ethylenediaminetetraacetate (64-02-8) | |
|---|---------------------------------------|
| Persistence and degradability | Not readily biodegradable in water. |
| Biochemical oxygen demand (BOD) | < 0.002 g O ₂ /g substance |
| Chemical oxygen demand (COD) | $0.54 - 0.58$ g O_2 /g substance |
| Disodium Metasilicate (6834-92-0) | |
| Persistence and degradability | Biodegradability: not applicable. |
| Chemical oxygen demand (COD) | Not applicable (inorganic) |
| ThOD | Not applicable (inorganic) |
| Alcohols, Ehoxylated (68439-46-3) | |
| Persistence and degradability | Readily biodegradable in water. |

12.3. Bioaccumulative potential

| Tetrasodium ethylenediaminetetraacetate (64-02-8) | |
|---|--|
| BCF - Fish [1] | 1.1 – 1.8 (28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight) |
| Partition coefficient n-octanol/water (Log Pow) | -13.17 (Estimated value, KOWWIN) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Disodium Metasilicate (6834-92-0) | |
|-----------------------------------|------------------------------------|
| Bioaccumulative potential | Not bioaccumulative. |
| Alcohols, Ehoxylated (68439-46-3) | |
| Bioaccumulative potential | No bioaccumulation data available. |

12.4. Mobility in soil

| Tetrasodium ethylenediaminetetraacetate (64-02-8) | |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.495 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Low potential for adsorption in soil. |
| Disodium Metasilicate (6834-92-0) | |
| Surface tension | No data available in the literature |
| Ecology - soil | Low potential for adsorption in soil. |

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

TDG

Transport hazard class(es) (TDG) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

1/8/2024 (Revision date) EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

14.5. Environmental hazards

Other information : No supplementary information available.

14.6. Special precautions for user

DOT

No data available

TDG

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

| Name | CAS-No. | Listing | Commercial status | Flags |
|---|------------|---------|-------------------|-------|
| Tetrasodium ethylenediaminetetraacetate | 64-02-8 | Present | Active | |
| Disodium Metasilicate | 6834-92-0 | Present | Active | |
| Alcohols, Ehoxylated | 68439-46-3 | Present | Active | XU |

15.2. International regulations

CANADA

Tetrasodium ethylenediaminetetraacetate (64-02-8)

Listed on the Canadian DSL (Domestic Substances List)

Disodium Metasilicate (6834-92-0)

Listed on the Canadian DSL (Domestic Substances List)

Alcohols, Ehoxylated (68439-46-3)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 1/8/2024

Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.