

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 3/9/2017 Revision date: 3/17/2017 Supersedes: 3/17/2017 Version: 1.1

SECTION 1: Identification		
1.1. Identification		
Product form Trade name Product code	: Mixture : Dessert Dri : 4664	
1.2. Recommended use and restrictions or	n use	
Recommended use	: Rinse aid (includes drying aids)	
1.3. Supplier		
Synthetic Labs 24 Victory Lane Dracut, MA, 01826 United States T 800.255.4050 - F 978.957.5122 www.360carwashsolutions.com		
1.4. Emergency telephone number		
Emergency number	: 24 Hour Medical Emergency Number: 1-800-535-5053	
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix GHS US classification		
Serious eye damage/eye irritation Category 1 Aspiration hazard Category 1	Causes serious eye damage May be fatal if swallowed and enters airways	
2.2. GHS Label elements, including precau	utionary statements	
GHS US labeling		
Hazard pictograms (GHS US)		
Signal word (GHS US) Hazard statements (GHS US)	: Danger : May be fatal if swallowed and enters airways	
Precautionary statements (GHS US)	<ul> <li>Causes serious eye damage</li> <li>Wear protective gloves/protective clothing/eye protection/face protection.</li> <li>If swallowed: Immediately call a poison center or doctor.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>Immediately call a poison center or doctor.</li> <li>Do NOT induce vomiting.</li> <li>Store locked up.</li> <li>Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.</li> </ul>	

2.3. Other hazards which do not result in classification

#### No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 2.4. Unknown acute toxicity (GHS US)

No additional information available

### SECTION 3: Composition/Information on ingredients

#### 3.1. Substances

#### Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS US classification
Mineral Seal Oil	CAS-No.: 64742-46-7	1 – 5	Carc. 1B, H350
Quaternary Ammonium Compounds	CAS-No.: Trade Secret	1 – 5	Flam. Liq. 1, H224 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318
Ethylene Glycol Monobutyl Ether	CAS-No.: 111-76-2	1 – 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation First-aid measures after skin contact	<ul> <li>IF exposed or concerned: Get medical advice/attention.</li> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.</li> </ul>
First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.</li> <li>Call a poison center/doctor/physician if you feel unwell.</li> </ul>
4.2. Most important symptoms and e	ffects (acute and delayed)
Symptoms/effects after skin contact Symptoms/effects after eye contact	: Irritation. : Serious damage to eyes.
4.3. Immediate medical attention and	special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measur	es	
5.1. Suitable (and unsuitable) exting	uishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire : Toxic fumes may be released.		
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency personnel Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			

6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.	
Other information	: Dispose of materials or solid residues at an authorized site.	
6.4. Reference to other sections		

For further information refer to section 13.

SECTION 7: Handling and storag	e	
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Avoid contact with skin and eyes.	
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.	
7.2. Conditions for safe storage, including any incompatibilities		

Storage conditions

: Store locked up. Store in a well-ventilated place. Keep cool.

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Dessert Dri**

No additional information available

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mineral Seal Oil (64742-46-7)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA	10 mg/m <sup>3</sup>		
USA - OSHA - Occupational Exposure Limits			
OSHA PEL (STEL) [1]	5 mg/m³		
USA - NIOSH - Occupational Exposure Limits			
NIOSH REL (TWA)	10 mg/m³		
Quaternary Ammonium Compounds (Trade Se	ecret)		
No additional information available			
Ethylene Glycol Monobutyl Ether (111-76-2)			
USA - ACGIH - Occupational Exposure Limits			
ACGIH OEL TWA [ppm]	20 ppm		
8.2. Appropriate engineering controls			
	Ensure good ventilation of the work station.		
	Avoid release to the environment.		
8.3. Individual protection measures/Personal protective equipment			
Hand protection:			
Protective gloves			
Eye protection:			
Safety glasses			
Skin and body protection:			
Wear suitable protective clothing			
Respiratory protection:			
In case of insufficient ventilation, wear suitable respiratory equipment			
Personal protective equipment symbol(s):			



# **SECTION 9: Physical and chemical properties**

9.1. Information on basic phy	sical and chemical properties
Physical state	: Liquid
Appearance	: Liquid.
Color	: red
Odor	: cherry
Odor threshold	: No data available
pН	: 7 (7 – 8)
pH solution	: 7-8
Melting point	: Not applicable

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Vapor pressure Relative vapor density at 20°C Relative density Density Solubility Partition coefficient n-octanol/water (Log Pow) Auto-ignition temperature Decomposition temperature Viscosity, kinematic	<ul> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>Not applicable.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>0.98 g/m<sup>3</sup></li> <li>No data available</li> </ul>
· · ·	

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions** 

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologica	l effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul><li>Not classified</li><li>Not classified</li><li>Not classified</li></ul>	
Mineral Seal Oil (64742-46-7)		
LD50 oral rat	> 5000 mg/kg	

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Mineral Seal Oil (64742-46-7)	
LD50 dermal rabbit	> 2000 mg/kg
Quaternary Ammonium Compounds (Trade S	ecret)
ATE US (oral)	500 mg/kg body weight
Ethylene Glycol Monobutyl Ether (111-76-2)	
LD50 oral rat	1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 oral	1414 mg/kg body weight (OECD 401: Acute Oral Toxicity, Guinea pig, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	> 4.26 mg/l (4 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
ATE US (oral)	1414 mg/kg body weight
ATE US (dermal)	1100 mg/kg body weight
ATE US (vapors)	3 mg/l/4h
Skin corrosion/irritation :	Not classified
	pH: 7 (7 – 8)
Quaternary Ammonium Compounds (Trade S	
pH	6 - 9
Ethylene Glycol Monobutyl Ether (111-76-2)	
рН	No data available in the literature
Serious eye damage/irritation :	Causes serious eye damage. pH: 7 (7 – 8)
Quaternary Ammonium Compounds (Trade S	ecret)
рН	6 – 9
Ethylene Glycol Monobutyl Ether (111-76-2)	
pH	No data available in the literature
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	May be fatal if swallowed and enters airways.
Viscosity, kinematic :	No data available
Mineral Seal Oil (64742-46-7)	
Viscosity, kinematic	> 20.5 mm²/s (40 °C, Niet experimenteel bepaald; afgeleid van de indeling)
Ethylene Glycol Monobutyl Ether (111-76-2)	
Viscosity, kinematic	3.642 mm²/s (20 °C)
	Irritation.
Symptoms/effects after eye contact :	Serious damage to eyes.

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general :	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Ethylene Glycol Monobutyl Ether (111-76-2)	
LC50 - Fish [1]	1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	1840 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
12.2. Persistence and degradability	
Ethylene Glycol Monobutyl Ether (111-76-2)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
Ethylene Glycol Monobutyl Ether (111-76-2)	
Partition coefficient n-octanol/water (Log Pow)	0.81 (Experimental value, BASF test, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
12.4. Mobility in soil	
Ethylene Glycol Monobutyl Ether (111-76-2)	
Surface tension	65.03 mN/m (20 °C, 2 g/l)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.451 – 0.882 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.
12.5. Other adverse effects	
No additional information available	
SECTION 13: Disposal considerations	
13.1. Disposal methods	

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information			
14.1. UN number			
Not regulated for transport			
14.2. UN proper shipping name			
Proper Shipping Name (DOT)	: Not applicable		

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proper Shipping Name (TDG) Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
14.3. Transport hazard class(es)	
<b>DOT</b> Transport hazard class(es) (DOT)	: Not applicable
<b>TDG</b> Transport hazard class(es) (TDG)	: Not applicable
IMDG Transport hazard class(es) (IMDG)	: Not applicable
IATA Transport hazard class(es) (IATA)	: Not applicable
14.4. Packing group	
Packing group (DOT)	: Not applicable
Packing group (TDG) Packing group (IMDG)	: Not applicable : Not applicable
Packing group (IATA)	: Not applicable
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT No data available	
TDG No data available	
IMDG No data available	
IATA No data available	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
Not applicable	
SECTION 15: Regulatory informatio	n

#### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Mineral Seal Oil	64742-46-7	Present	Active	
Quaternary Ammonium Compounds	Trade Secret	Present	Active	XU
Ethylene Glycol Monobutyl Ether	111-76-2	Present	Active	

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **15.2. International regulations**

#### CANADA

#### Mineral Seal Oil (64742-46-7)

Listed on the Canadian DSL (Domestic Substances List)

#### **Quaternary Ammonium Compounds (Trade Secret)**

Listed on the Canadian DSL (Domestic Substances List)

#### Ethylene Glycol Monobutyl Ether (111-76-2)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

#### National regulations

No additional information available

15.3. US State regulations	
Component	State or local regulations
Ethylene Glycol Monobutyl Ether(111-76-2)	U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

#### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date : 3/17/2017

Hazard Rating	
Health	: 1 Slight Hazard - Irritation or minor reversible injury possible
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT
	react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.